Dermatology I-Z



DATE: NEEDS BY DATE: SHIP TO: D PATIENT DOFFICE - FIRST DOSE D OFFICE - ALL DOSES D OTHER PATIENT INFORMATION PRESCRIBER INFORMATION Patient Name Prescriber Name Prescriber Type ☐ Physician (MD or DO) ■ Nurse Practitioner ☐ Physician's Assistant Address Supervising Physician (If prescriber is a NP or PA) Address Main Phone Alternative Phone City State Zip ☐ Male ☐ Female Phone Fax Social Security # Date of Birth Contact Person **INSURANCE: PLEASE FAX BOTH SIDES OF PRESCRIPTION CARD AND MEDICAL CARD** PRESCRIPTION INFORMATION **QUANTITY REFILLS** ☐ INITIAL: Inject 100 mg SQ at week 0 and week 4 □ Ilumya[™] 100 mg Pre-filled syringe ☐ MAINTENANCE: Inject 100 mg SQ every 12 weeks thereafter ☐ Titrate: Take 1 tablet on day 1 then twice daily as directed OR date provided 1 Starter Pack ☐ Starter Pack □ Otezla® Maintenance: Take 1 tablet by mouth ONCE daily 30 30mg Tablets Maintenance: Take 1 tablet by mouth TWICE daily. Bridge Rx: Take 1 tablet by mouth TWICE daily; dispensed by OSP □ Otezla® (Recommended daily dose) ***Starter Pack Provided Date: 6 30mg Tablets 28 ☐ Bridge Rx: Take 1 tablet by mouth **ONCE** daily; dispensed by OSP Bridge Rx 12 (For Patients with severe renal impairment) ☐ Initial: Inject 210 mg SQ on weeks 0, 1, and 2 0 □ Siliq[™] 210mg Pre-filled Syringe ☐ Maintenance: Inject 210 mg SQ every 2 weeks starting at week 4 4 Week Supply Initial: Inject 150 mg (2 syringes) SQ at weeks 0 & 4 1 box (2 syringes) ■ SkyriziTM 75 mg Pre-filled Syringe ☐ Maintenance: Inject 150 mg (2 syringes) SQ every 12 weeks 1 box (2 syringes) ■ 45mg Pre-filled Syringe ☐ 90mg Pre-filled Syringe \Box Inject 45mg on day 0, then week 4, then every 12 weeks (Patients ≤ 220lbs) ☐ Stelara® 4 Week Supply Weight Required: ☐ Inject 90mg on day 0, then week 4, then every 12 weeks (Patients > 220lbs) One- Press Injector ☐ Initial: Inject 100 mg SQ at week 0 and then at week 4 1 1 □ TremfyaTM ☐ Pre-filled Syringe ☐ Maintenance: Inject 100 mg SQ every 8 weeks 1 Starting: Inject 160 mg SQ on day 1, 0 then begin first induction dose 2 weeks later (week 2) Auto Injector □ Taltz® ☐ Induction: Inject 80 mg SQ every 2 weeks (weeks 4-10) Prefilled Syringe ☐ Final Induction Dose: Inject 80 mg SQ on week 12 Maintenance: Inject 80 mg SQ every 4 weeks (thereafter) ☐ Taltz® Auto Injector ☐ Initial: Inject 160 mg SQ on week 0 2 Psoriatic Arthritis Only ☐ Pre-filled Syringe ☐ Maintenance: Inject 80 mg SQ every 4 weeks **CLINICAL INFORMATION** ☐ L73.2 Hidradenitis Suppurativa - Hurley Stage: Diagnosis: 🖵 L40.0 Moderate to Severe Plaque Psoriasis ☐ L40.50 Psoriatic Arthritis DX Code: ☐ L20.9 Atopic Dermatitis unspecified Other: ☐ Hands ☐ Feet ☐ Scalp ☐ Groin ☐ Nails ☐ Other: Location: % BSA: Patient Allergies: Prior Failed Meds: 🗆 Cimzia 🗅 Cosentyx 🗅 Enbrel 🗅 Humira 🗅 Orencia 🗅 Remicade 🗅 Simponi 🗅 Soriatane 🗅 Stelara 🗅 Taltz Methotrexate Length of Treatment: Reason for Discontinuing: PUVA/UVB Length of Treatment:_ Reason for Discontinuing: Length of Treatment:_ Reason for Discontinuing: Contraindicated Medication: Reason: Inadequate Response (List Specific Names): Height: **Hepatitis Test Result:** Hep B ruled out/treated: ☐ Yes ☐ No Date: TB/PPD Test given? ☐ Yes ☐ No Test Date: Test Results: ISGA score: EASI score: POEM score: SCORAD: Additional Information:

Dispense As Written (no stamps)

1. In order for a brand name product to be dispensed, the prescriber must write "Brand Necessary" or "Brand Medically Necessary" or any required state-specific language.
2. By signing this form, you are authorizing the pharmacy and its representatives to act on your behalf to obtain prior authorizations for the prescribed medication(s). We will also pursue available copay and financial assistance on behalf of your patients when available.
3. The pharmacy can only accept faxed prescriptions directly from a prescriber's office.

4. Prescribers must comply with any of their state-specific prescription requirements