Rheumatology A-K



DATE: N	NEEDS BY DATE:	Ship to: Defice - first dose Defice - All doses Def					
	PATIENT INFOR	MATION	PRESCRIBER INFORMATION				
Patient Name			Prescriber Name				
Address			Prescriber Type Department Prescriber Type	r DO) 🛛 🖵 Nurse Practitione	r 🕞 Physician's Assistant		
Address			Supervising Physician (If prescriber is a NP or PA)				
City State		Zip	DEA #	NPI #	Tax ID #		
			Address				
Main Phone	Alternative Phone	🖵 Male 📮 Female	City	State	Zip		
Social Security #		Date of Birth	Phone	Fax			
			Contact Person				
		CLINICAL IN	FORMATION				
· · · · · · · · · · · · · · · · · · ·		 L40.50 Psoriatic Arthritis M32 Systemic Lupus Erythematosus (SLE) 	□ M45.9 Ankylosing Spondylitis □ M08.00 Juvenile Rheumatoid Ar □ Other: DX Code:				
Patient Allergies:			Hepatitis Test Result:	Patient Weight:	Patient Height:		
TB/PPD Test given? 🗅 Yes 🗅 N	No Test Date:	Test Results:					
Prior Failed Meds: 🛛 Actemr	a 🛯 Cosentyx 🗳 Ci	mzia 🗅 Enbrel 🗅 Humira 🗅 Kevzara 🗅	I Orencia 🛛 🛛 Otezla				
Methotrexate Length of Treatment: Reason for Discontinuing:							
			ntinuing:				
Length of Tre	atment:	Reason for Discon	tinuing:				
Additional Information:							
		PLEASE FAX BOTH SIDES OF					

INSURANCE: PLEASE FAX BOTH SIDES OF PRESCRIPTION CARD AND MEDICAL CARD								
		PRESCRIPTION INFORMATION		QUANTITY	REFILLS			
□ Actemra®	 Pre-filled Syringe Pre-filled Pen 	 SQ: Inject 162 mg SQ every other week SQ: Inject 162 mg SQ every week 	4 Week Supply					
☐ Benlysta®	□ Vials □ 120mg/5ml □ 400mg/20ml □ Prefilled Syringe □ Auto-Injector Pen	IV INITIAL: Infusemg or 10mg/kg IV every 2 weeks for 3 doses IV MAINTENANCE: Infusemg or 10mg/kg IV every 4 weeks ISQ: Inject 200mg SQ every 4 weeks		3 Doses 4 Week Supply 4 Week Supply				
□ Cosentyx [™]	 SensorReady Pen Prefilled Syringe 	□ INITIAL: Inject 150mg SQ on week 0,1,2,3, & 4 (Qty 5) □ INITIAL: Inject 300mg SQ on week 0,1,2,3, & 4 (Qty 10) □ MAINTENANCE: Inject 300 mg SQ on g SQ on week 0,1,2,3, & 4 (Qty 10)						
□ Cosentyx [™] Covered Until You're Covered	 SensorReady Pen Prefilled Syringe 	□ INITIAL: Inject 150mg SQ on week 0,1,2,3, & 4 (Qty 5) □ INITIAL: Inject 300mg SQ on week 0,1,2,3, & 4 (Qty 10) □ MAINTENANCE: Inject 300 mg SQ er						
☐ Cimzia®	 Prefilled Syringe Vials 	 INITIAL: Inject 400 mg SQ at Day 0, Day 14, and Day 28 MAINTENANCE: Inject 400 mg SQ every 4 weeks MAINTENANCE: Inject 200 mg SQ every 2 weeks 		1 Starter Kit 4 Week Supply				
🗅 Enbrel®	 ❑ SureClick[®] Pen ❑ Mini[™] with AutoTouch[™] ❑ Prefilled Syringe ❑ 25 mg □ 50 mg ❑ Vials 25 mg 	 Inject 50 mg SQ every week Inject 25 mg twice weekly 72-96 hours apart 		4 Week Supply				
□ Humira® Citrate Free	Uveitis Starter KitImage: UVEITIS INITIAL: Inject 80mg SQ on Day 1,40mg on Day 8, then 40mg every other weekPenImage: MAINTENANCE: Inject 40mg SQ every other weekPre-filled SyringeImage: MAINTENANCE: Inject 40mg SQ weekly			3 2 4				
□ Kevzara®	□ Pen □ 150 mg □ 200 mg □ Prefilled Syringe □ 150 mg □ 200 mg	 Inject 150 mg SQ every 2 weeks Inject 200 mg SQ every 2 weeks 		4 Week Supply				

Dispense As Written (no stamps)

Date

Substitution Permitted (no stamps)

Date

1. In order for a brand name product to be dispensed, the prescriber must write "Brand Necessary" or "Brand Medically Necessary" or any required state-specific language. 2. By signing this form, you are authorizing the pharmacy and its representatives to act on your behalf to obtain prior authorizations for the prescribed medication(s). We will also pursue available copay and financial assistance on behalf of your patients when available. 3. The pharmacy can only accept faxed prescriptions directly from a prescriber's office. 4. Prescribers must comply with any of their state-specific prescription requirements.